

EVOGREEN DECORATIVES PRIVATED LIMITED

W: www.armica.in E: evogreendecorativespvtltd@gmail.com T: +91 70159 00039



Facebook Profile



Scan this QR code to visit Armica Laminates facebook page



Instagram Profile



Scan this QR code to visit Armica Laminates Instagram Profile



WhatsApp Virtua Assistant



Scan this QR code to start a WhatsApp chat with Armica Laminates










We are thrilled to introduce to you a remarkable laminate brand that is sure to captivate your senses and enhance the beauty of your space - "Neroli"

With its enchanting vibrant colors, and unparalleled vibrancy, Neroli laminates are a true testament to elegance and style. Neroli encapsulates the essence of this incredible product. Just like the aromatic scent that lingers in the air, Neroli laminates emit a delightful fragrance that adds a touch of freshness to any interior space. The wide range available in the Neroli collection will leave you spoiled for choice, allowing you to create a space that truly reflects your unique taste and personality. The vibrancy of these laminates is unmatched, bringing life and energy to your interiors. In every way, Neroli embodies the beauty and sophistication that we all desire for our living spaces.

Give your home a touch of luxury with Neroli by Armica - you won't be disappointed!



About Us

Crafting Quality with Passion and Trust!!

We are thrilled to introduce you to Armica a brand that has set its roots in the picturesque town of Shazadpur.

Established in 2021, our journey has been one filled with immense dedication, relentless effort, and the purest of love for what we do. At Armica we do not just create products; we curate experiences that resonate deeply with our customers.


Our mission has been - to deliver top-notch quality products that you can rely on, and to build a brand that you can trust. We firmly believe that passion is the driving force behind any successful endeavor, which is why our team aligns itself with the creative artistry and unwavering commitment needed to excel in our industry. Each member of our dynamic team brings their unique perspective and expertise, culminating in a harmony that echoes within every product we bring to you.



















AFG | 19553 FOLK BLUE

Harmonious Blend





AFG | 19560 SUMMER SKY





AFG | 19559 DARK TRUFFLE




AFG | 19552 DORSET GOLD










FG | 19016






Everlazting Allure



FO. I. 10000


FG | 19008 MORNING GLORY Tasteful Juxury








FG | 19024 BRITISH BLUFF














MG | 19106 ALMOND BEIGE FROST






MG | 19109 MAGNETIC GREY




MG | 19101 CANDY WHITE



Enduring Appeal





GLAMOUR GOLD








Clanging Gloss







PALE PURPLE

Transcending Trends






SAW DUST










Glazed Acrylic








GA | 19554 GRAPHITE GREY



GA | 19552 DORSET GOLD



PEARL WHITE



DARK TRUFFLE




GA | 19556 MOSS GREEN



GA | 19562 PERFECT BEIGE












GA | 19558 SADDLE



GA | 19555 RUST EMBER



GA I 19560 SUMMER SKY




GA | 19553 FOLK BLUE









Meroli


FLUTE MATT

FM | 19023 COFFEE BROWN


Graceful Beauty Timeless Collect

FM | 19001

PANCAKE








FM | 19006 KHYBER BLUE








FM | 19008 MORNING GLORY




FM | 19014 ACACIA GREEN








TUFF GLOSS








Elegant & Regal













TG I 19019 POWDER PINK




TG | 19020 SMOKED SALMON



59-60





TG | 19014 ACACIA GREEN






TG | 19016


SOFT SPRING





MORNING GLORY





TG | 19015 CACTUS






TG | 19004 WATERLOO



TG | 19005 PETROL BLUE




TC | 10005

TG | 19006 KHYBER BLUE



TG | 19007 OCEAN BLUE






TG | 19011

CHARCOAL GREY





TG | 19010


PUMIC GREY







Sero Matt










ZM | 19011 CHARCOAL




ZM | 19022 IRISH CREAM



ZM | 19026 ARCATIC WHITE

ZM | 19027 FROSTY WHITE

















ZM | 19002 CANYON SAND



ROSE TAN



ZM | 19001 PANCAKE

TECHNICAL SPECIFICATIONS



DESIGN NO.	DESIGN FINISH	DESIGN NAME	PAGE NO	
19557	AFG	SEA GREEN		
19553	AFG	FOLK BLUE	13	
19560	AFG	SUMMER SKY	13	
19559	AFG	DARK TRUFFLE	14	
19552	AFG	DORSET GOLD	14	
19016	FG	SOFT SPRING	18	
19004	FG	WATER LOO	19	
19008	FG	MORNING GLORY	19	
19010	FG	PUMIC GREY	20	
19024	FG	BRITISH BLUFF	20	
19107	MG	HAZELNUT BROWN	24	
19103	MG	ACE BLUE	25	
19104	MG	FORGED GREEN	25	
19106	MG	ALMOND BEIGE/FROST	26	
19109	MG	MAGNET GREY	27	
19101	MG	CANDY WHITE	27	
19108	MG	ROSE GOLD	28	
19105	MG	GLAMOUR GOLD	28	
19701	CG	ALABASTER WHITE	32	
19702	CG	PALE PURPLE	33	
19703	CG	SAW DUST	33	
19704	CG	STEEL GREY	34	
19705	CG	NICKEL	34	
19561	GA	SOBER GREY	38	
19554	GA	GRAPHITE GREY	39	
19551	GA	PEARL WHITE	39	
19552	GA	DORSET GOLD	39	
19559	GA	DARK TRUFFLE	39	
19556	GA	MOSS GREEN	40	
19562	GA	PERFECT BEIGE	40	
19557	GA	SEA GREEN	41	
19558	GA	SADDLE	43	
19555	GA	RUST EMBER	43	
19560	GA	SUMMER SKY	44	
19553	GA	FOLK BLUE	44	
19018	FM	ROSE TAN	48	
19023	FM	COFFEE BROWN	49	
19001	FM	PANCAKE	49	
19009	FM	MOUNTAIN GREY 50		
19006	FM	KHYBER BLUE 51		
19007	FM	OCEAN BLUE	51	
19008	FM	MORNING GLORY	52	
19014	FM	ACACIA GREEN	52	

DESIGN NO.	DESIGN FINISH	DESIGN NAME	PAGE NO	
19026	TG	ARCATIC WHITE		
19027	TG	FROSTY WHITE 58		
19017	TG	CORAL	59	
19018	TG	ROSE TAN	59	
19019	TG	POWDER PINK	59	
19020	TG	SMOKED SALMON	59	
19002	TG	CANYON SAND	60	
19001	TG	PANCAKE	60	
19014	TG	ACACIA GREEN	61	
19016	TG	SOFT SPRING	61	
19008	TG	MORNING GLORY	62	
19015	TG	CACTUS	62	
19004	TG	WATER LOO		
19005	TG	PETROL BLUE		
19006	TG	KHYBER BLUE	64	
19007	TG	OCEAN BLUE	64	
19009	TG	MOUNTAIN GREY	GREY 65	
19010	TG	PUMIC GREY	65	
19011	TG	CHARCOAL	65	
19022	TG	IRISH CREAM	65	
19023	TG	COFFEE BROWN	66	
19024	TG	BRITISH BLUFF	66	
19019	ZM	POWDER PINK	70	
19009	ZM	MOUNTAIN GREY	71	
19010	ZM	PUMIC GREY	Y 71	
19011	ZM	CHARCOAL	71	
19022	ZM	IRISH CREAM		
19026	ZM	ARCATIC WHITE	72	
19027	ZM	FROSTY WHITE	OSTY WHITE 72	
19020	ZM	SMOKED SALMON		
19004	ZM	WATER LOO	75	
19005	ZM	PETROL BLUE	75	
19006	ZM	KHYBER BLUE		
19007	ZM	OCEAN BLUE		
19008	ZM	MORNING GLORY	76	
19014	ZM	ACACIA GREEN		
19015	ZM	CACTUS	76	
19016	ZM	SOFT SPRING		
19017	ZM	CORAL	77	
19018	ZM	ROSE TAN 77		
19002	ZM	CANYON SAND 77		
19001	ZM	PANCAKE 77		
19023	ZM	COFFEE BROWN	78	
19024	ZM	BRITISH BLUFF	78	

Grades: General and fire retardant [FR]

Types: Standard, post forming, compact, cabinet liners, backer

Size: 2440 mm x 1220 mm [8'x4']

Thickness:1mm (±10%)

Care & Maintenance:

Cleaning should be carried out with a soft moist cloth and warm soap solution.

Do not use detergents containing abrasive particle or excess soda

Neroli Highlight:

Design from genuine imported base paper.

Manufactured using best quality kraft paper.

Use of best chemical raw materials for better flexibility &

Use of best chemical raw materials for better flexibility & durability

PROPERTIES	SPECIFIED VALUE AS PER IS:2046-1995, TYPE S, HGS	NEROLI CONFORMS	SPECIFIED VALUE AS PER IS:2046-1995, TYPE S, HGS	NEROLI CONFORMS
Resistance to surface wear	350 (Revolutions)	✓	350 (Revolutions)	✓
Resistance to immersion in boiling water - Mass increase [%] - Thickness increase [%] - Appearance	10.0 [Maximum] 11.8 [Maximum] Not worse than 4	✓	7.5 (Maximum) 8.5 (Maximum) Not worse than 4	✓
Resistance to dry heat 180° c	Not worse than 4	✓	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal [%] - Transverse [%]	0.55 (Maximum) 1.025 (Maximum)	✓	0.44 (Maximum) 0.86 (Maximum)	√
Dimensional stability at 20° c - Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.60 (Maximum)	✓	0.31 (Maximum) 0.49 (Maximum)	✓
Resistance to impact by small diameter ball	20 N (Minimum)	✓	20 N (Minimum)	✓
Resistance to cracking	Not worse than 4	✓	Not worse than 4	✓
Resistance to scratching	2 N (Minimum)	✓	2 N (Minimum)	✓
Resistance to staining	Not worse than 5	✓	Not worse than 5	✓
Resistance to colour change (wood standards) - In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓	Not worse than 6 Not worse than 5	√
Resistance to cigarette burns	Not worse than 3	✓	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓	Should be free from foreign particles	✓

Disclaimer:

Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses.

All metallic patterns series recommended for vertical application only. Limited Warranty: Neroli warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviation, related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. Neroli products are used for various applications without the possibility of control over the manufacturing of the finished products. The Company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity.

Resistance:

To surface wear, immersion in boiling water, dry heat, impact by small dia. ball,cigarette burns, staining, scratches, color change in xenon light

Maintenance:

Clean with mild soap solutions or house hold detergent, abrasive cleaners should not be used, it is recommended for vertical use only.

Avoid direct sunlight.

लेमिनेट शीट चिपकाते समय निम्न सावधानियाँ रखनी चाहिए ।

- ◆ लेमिनेट शीट लगाते समय यह जाँच लें कि सभी शीट्स का रंग एवं डीजाईन एक समान हैं।
- लेमिनेट शीट का बड़ा टुकड़ा (Piece) लगाते समय अत्यधिक सावधानी बरतें।
- लेमिनेट शीट को 90° में काट कर चिपकाने से CRACK आने की संभावना रहती है।
- ◆ ADHESIVE उच्च क्वालिटी का ही काम में लें।
- अत्यधिक नमी के स्थान पर लेमिनेट्स शीट पर BUBBLES 🗐 आने की संभावना रहती है।
- लेमिनेट शीट चिपकाते वक्त कम दबाव के कारण भी शीट खुलने की संभावना रहती है।
- जहाँ सूर्य की किरणें सीधी आती हो वहाँ लेमिनेट शीट का उपयोग कम से कम करें यह रगं को धुंधला कर सकता है।
- ◆ लेमिनेट शीट के रख-रखाव करते समय इस पर किसी प्रकार के रसायन पदार्थ का प्रयोग न करें। घर में रंग-रोगन करते समय फर्नीचर को ढक देवें।
- ◆ लेमिनेट शीट का ROLL खोल कर रखें।
- ◆ लेमिनेट शीट को सीधे रख कर काटे।
- ◆ अधिक से अधिक स्थान पर TAPE 🌉 (MASKING TAPE) का उपयोग करें

उपरोक्त सावधानियों कों ध्यान में रखकर लेमिनेट को काम मे लेने पर काफी समस्याओं का स्वतः ही समाधान मिल जाएगा।

Do not use nail and hammer while cutting such Corner, Grew, Angle, and Designs Use only drill while cutting such Corner, Grew, Angle and Designs.